



LOTIS 82 FOR LED GE (NEW)

One of the spot families that put us on the map, Lotis is always a good choice. Several smart lighting options are now available for Lotis 82, and wait until you see the list of new colour finishes. Add a unique touch to your space.

Art. Nr. 13080617

SPECIFICATIONS

Lamp	1x LED (not incl.)
Gear / Transfo	LED gear not incl.
Cut-out size	ø 76 h 100
Weight	0.16kg
Min. distance	0.1 m
Power supply	
IP	IP20
Glow wire test	960°
Adjustability	Not Applicable
Remark	! must be used with M-LED 50

black	13080602
black struc	13080632
bronze	13080618
champagne	13080617
gold	13080646
silver bronze	13080606
white struc	13080609



LOTIS 82 FOR LED GE (NEW)

REQUIRED PARTS

M-LED

14060805	M-LED 50 3500K FLOOD GE ALU
14060705	M-LED 50 3500K MEDIUM GE ALU
14060605	M-LED 50 3500K SPOT GE ALU
14060505	M-LED 50 3000K FLOOD GE ALU
14060405	M-LED 50 3000K MEDIUM GE ALU
14060305	M-LED 50 3000K SPOT GE ALU
14060205	M-LED 50 2700K FLOOD GE ALU
14060105	M-LED 50 2700K MEDIUM GE ALU
14060005	M-LED 50 2700K SPOT GE ALU
14061105	M-LED 50 4000K FLOOD GE ALU
14061005	M-LED 50 4000K MEDIUM GE ALU
14060905	M-LED 50 4000K SPOT GE ALU
14061405	M-LED 50 1800-3000K WARM DIM FLOOD GE ALU
14061305	M-LED 50 1800-3000K WARM DIM MEDIUM GE ALU
14061205	M-LED 50 1800-3000K WARM DIM SPOT GE ALU

