


## LOTIS 86 IP55 GU10

Lotis is the recessed spotlight which started it all. The hallmark of this luminaire, is the deeply recessed cone which holds the light source and has a fine edge. Lotis comes in different diameters and with different lighting sources. Lotis 48 is particularly fitted to use in wall mounted application.

Art. Nr. 10883608

### SPECIFICATIONS

|                |                          |
|----------------|--------------------------|
| Lamp           | 1x QPAR 16 Gu10 max. 50W |
| Gear / Transfo |                          |
| Cut-out size   | ø 79 h 135               |
| Weight         | 0.25kg                   |
| Min. Distance  | 0.5 m                    |
| Power supply   | 230V                     |
| IP             |                          |
| Glow Wire Test | 960°                     |
| CRI            | 100                      |
| Lumen          | 327 Lm                   |
| Efficacy       | 7 Lm/W                   |
| UGR            | 7                        |
| Adjustability  | Not Applicable           |



This label is available in other languages:  
<http://supermodular.com/assets/TYPE3.pdf>

|             |          |
|-------------|----------|
| alu struc   | 10883628 |
| black struc | 10883608 |
| white struc | 10883638 |



---

## LOTIS 86 IP55 GU10

### ACCESSORIES

#### GYPKIT

---

|          |                      |
|----------|----------------------|
| 12290230 | GYPKIT 190X190 - Ø80 |
|----------|----------------------|

