



Date
Customer
Project
Type

Multiple Recessed Trimless Adjustable AR111 1x DE Black Matt




Specifications


Material	10360102
Light Source Type	AR111
Lamp Included	No
Number of Light Sources	1
Light Direction	Down
Input Voltage	12Vac
Electrical Class	III
IP Rating	20
Glow wire rating (°C)	960
Indoor/Outdoor	Indoor
Application	Ceiling, Wall
Mounting	Recessed
Cut-out size (mm)	L 160 W 160
Mounting depth (mm)	110.0
Adjustability	V -50°/+50°
Distance to Lighted Object (m)	0,5
Primary Colour & Primary Finish	Black, Matt
Gross weight (g)	1170.0
Remark	<ul style="list-style-type: none"> • AR111 lamp not included • This is not a complete product. AR111 lamp required. • This is not a complete product. Light module required.

Twenty years after its initial launch, Multiple lives on. With its technology on full display, this design is right at home in both a minimalist and an industrial-chic environment. The gimbaled system allows you to direct the light source at just about any angle. Multiple can be installed recessed or surface mounted. The AR111 recessed variants can also be combined with the new M-LED 111.

Light distribution & beam diagram




M-LED Module



- 11298002 M-LED 111 2700K spot DE black matt
- 11298009 M-LED 111 2700K spot DE white struc
- 11298024 M-LED 111 2700K spot DE brushed alu
- 11298102 M-LED 111 2700K medium DE black matt
- 11298109 M-LED 111 2700K medium DE white struc
- 11298124 M-LED 111 2700K medium DE brushed alu
- 11298202 M-LED 111 2700K flood DE black matt
- 11298209 M-LED 111 2700K flood DE white struc
- 11298224 M-LED 111 2700K flood DE brushed alu
- 11298302 M-LED 111 3000K spot DE black matt
- 11298309 M-LED 111 3000K spot DE white struc
- 11298324 M-LED 111 3000K spot DE brushed alu
- 11298402 M-LED 111 3000K medium DE black matt
- 11298409 M-LED 111 3000K medium DE white struc
- 11298424 M-LED 111 3000K medium DE brushed alu
- 11298502 M-LED 111 3000K flood DE black matt
- 11298509 M-LED 111 3000K flood DE white struc
- 11298524 M-LED 111 3000K flood DE brushed alu
- 11298602 M-LED 111 4000K spot DE black matt
- 11298609 M-LED 111 4000K spot DE white struc
- 11298624 M-LED 111 4000K spot DE brushed alu
- 11298702 M-LED 111 4000K medium DE black matt
- 11298709 M-LED 111 4000K medium DE white struc
- 11298724 M-LED 111 4000K medium DE brushed alu
- 11298802 M-LED 111 4000K flood DE black matt
- 11298809 M-LED 111 4000K flood DE white struc
- 11298824 M-LED 111 4000K flood DE brushed alu

Installation Accessories

10430130 Conbox 194x215x120



10450130 Recessed frame Multiple trimless 1x

Choose a required accessory