


FLOS

■ F0416030 Black

Arrangements Small Rose

Designed by Michael Anastassiades, 2018




Small Rose-MAX70

Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)

Download

[Mounting instructions](#)  PDF

[Spare Parts](#)  PDF


Main specifications

EAN	8059607001011
Mounting	Suspension
Environments	Indoor dry location
Power (W)	78

Physical

Colour	Black
Cord length (mm)	2400
Canopy dimension (mm)	70
Canopy width (mm)	150
Net weight (kg)	1.25
Package height (mm)	120
Package width (mm)	240
Package length (mm)	260
Package volume (m3)	0.01
IP internal	20

Ecodesign and Energy Labelling



Replaceable control gear by a professional




IP
20

Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	120-277
LED voltage Vf (Vdc)	null
Driver	Integrated
Dimmable	Yes
Dimming type	Dimmable 0-10V, Dimmable Push, Dimmable 1-10V, Dimmable DALI 1
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

Spare Parts



- | | | |
|-----|--|-----------|
| 01. | Stretch cable ceiling rose kit | RF0410400 |
| 02. | Led dimmer kit | RF0410300 |
| 05. | Power supply kit for
Arrangements small &
Noctambule | RF0410500 |
| 08. | Small ceiling rose cover | RF0410700 |
| 09. | Spacers cable | RF26602 |
| 10. | Regolation cables key | RF26440 |
| 11. | Element support assembly | RF26906 |

DOWNLOAD



RF0410400

Stretch cable ceiling rose kit



RF0410300

Led dimmer kit



RF0410500

Power supply kit for
Arrangements small &
Noctambule



RF0410700

Small ceiling rose cover



RF26602

Spacers cable



RF26440

Regulation cables key



RF26906

Element support assembly