

LOTIS 97 ADJUSTABLE MR16 GE


Lotis is the recessed spotlight which started it all. The hallmark of this luminaire, is the deeply recessed cone which holds the light source and has a fine edge. Lotis comes in different diameters and with different lighting sources. Lotis 48 is particularly fitted to use in wall mounted application.

Art. Nr. 10881209

SPECIFICATIONS

| | |
|----------------|-----------------------------|
| Lamp | 1x QR-CBC 51 Gx5.3 max. 50W |
| Gear / Transfo | transfo not incl. |
| Cut-out size | ø 92 h 165 |
| Weight | 0.4kg |
| Min. Distance | 0.5 m |
| Power supply | 12V |
| IP | IP20 |
| Glow Wire Test | 960° |
| CRI | 100 |
| Lumen | 763 Lm |
| Efficacy | 16 Lm/W |
| UGR | 13 |
| Adjustability | v -15°/+15° |

| | |
|-------------|----------|
| alu | 10881205 |
| black | 10881202 |
| white struc | 10881209 |



This label is available in other languages:
<http://supermodular.com/assets/TYPE3.pdf>



LOTIS 97 ADJUSTABLE MR16 GE

ACCESSORIES

GYPKIT

| | |
|----------|----------------------|
| 12290330 | GYPKIT 190X190 - Ø92 |
|----------|----------------------|

