

FLOS

F2400044 22K Gold

Foglio

Designed by Tobia Scarpa, 1966



Halogen - 2 x 100W

Wall lamp providing direct/indirect/partially diffused light. Wall fitting in powder-painted polished white pressed steel. Diffuser in powder-painted polished. Two nylon injection molded white lamp holder supports.

Are you a professional and your project needs consulting and support?


[BOOK AN APPOINTMENT](#)

Main specifications

| | |
|-------------------|---------------------|
| EAN | 8059607016008 |
| Mounting | Wall |
| Environments | Indoor dry location |
| Light Source Type | Bulb |
| Lamp category | Halogen |
| Lamp holders | E27 |
| Ilcos | HSGS |
| Number of heads | 2 |
| Power (W) | 100 |

Physical

| | |
|---------------------|----------|
| Colour | 22K Gold |
| Length (mm) | 370 |
| Net weight (kg) | 3.63 |
| Package height (mm) | 145 |
| Package width (mm) | 400 |
| Package length (mm) | 240 |
| Package volume (m3) | 0.01 |
| IP internal | 20 |



Download

[Mounting instructions](#) PDF

[Spare Parts](#) PDF


Photometric Files

[LDT / IES](#) LDT


Technical Drawings

[2D](#) ZIP

[3D](#) ZIP



Schematic light drawing



Beam Angle: 83°

| h(m) | E(lx) | D(m) |
|------|-------|------|
| 1 | 185 | 1.84 |
| 2 | 46 | 3.68 |
| 3 | 21 | 5.51 |
| 4 | 12 | 7.35 |
| 5 | 7 | 9.19 |

Photometric

| | |
|--------------------|------------------|
| Lighting type | Indirect, Direct |
| Light distribution | Asymmetric |

Electrical

| | |
|--------------------|--|
| Insulation class | I |
| Frequency (Hz) | 50/60 |
| Main voltage (Vac) | 220-250 |
| Dimmable | Yes |
| Dimming interface | Remote Dimmable (Dimmer Not Included) |
| Batteries inside | No |

Bulbs



NOT INCLUDED

RF32563

LED Lamp 11.5W E27 220-240V
2700K A70




NOT INCLUDED

RF32564

LED Lamp 11.5W E27 220-240V
3000K A70

Spare Parts



01. Lamp holder assembly

RF2400100

02. Kit with n.3 screws m3

RF06296

DOWNLOAD



RF2400100

Lamp holder assembly



RF06296

Kit with n.3 screws m3